

Brown Emergency Medicine

Clinical Decision Unit

TIA Orderset Guide

## Place in Observation Status

Go to Quicklist and type in Place in ED CDU and press enter- The Place in ED CDU Observation order will appear.

If you are placing all orders at once, you can do this step as part of the admission: Go to Enter and Modify Order set

The screenshot shows the 'Place in ED CDU Observation' form on the left and the 'New Orders' panel on the right. The form includes fields for 'Anticipated hours in observation' (with options: 1 Hour, 2 Hours, 4 Hours, 6 Hours, 8 - 24 Hours), 'Clinical Indication' (with a search bar and suggestions like Anaphylaxis, Asthma exacerbation, Cellulitis, Chest pain, COPD exacerbation, Hypoglycemia, Pyelonephritis, Renal colic, Symptomatic anemia, Syncope, TIA), and 'Accommodation Code (DO NOT CHANGE):' (set to OBV CDU). The 'New Orders' panel shows the order 'Place in ED CDU Observation' with the note 'Accommodation Code (DO NOT CHANGE): OBV CDU'. A text box on the right lists instructions: 'Click 8-24 Hours', 'Click TIA', and 'Click Accept'.

## Enter and Modify the Order set

Click on Order Sets Tab, enter ED CDU TIA and press enter. The TIA order set will appear.

The screenshot shows the 'ED CDU TIA Observation (User)' order set configuration page. The 'Code Status' section has 'Code Status' selected. The 'Nursing Interventions' section has 'Place in ED CDU Observation' selected. A red arrow points to the 'Code Status' radio button with the text 'Choose appropriate code status'. Another red arrow points to the 'Place in ED CDU Observation' checkbox with a text box that says 'Click Place in ED CDU Observation if you haven't already placed this order'. The right panel shows the 'Orders from Order Sets' list, including 'ED CDU TIA Observation (User)' with details for 'Vital Signs', 'Neuro Checks', 'Stroke Swallowing Screening', 'Weigh Patient on Admission', 'OOB to Chair and Bathroom Privileges', and 'Oxygen NC'.

**You can uncheck**

**uncheck if already done**

**Order Maintain IV**

**Choose Cardiac diet**

**Uncheck**

**Check Inpatient consult to Neurology**

Uncheck Echocardiogram 2D Complete and Check Inpatient consult to Neurology

Remove MRA imaging if CTA already done, unless advised by neurologist

**Important:**

If CT Brain was done instead of CTA ELVO or CTA Brain and Neck DO NOT order MRA.

The new protocol advises a CTA Brain and Neck W WO IV Contrast as the study of choice.

If CTA was already done, order MRI Brain WO IV Contrast as pre-checked.


No DVT Prophylaxis needed

If patient requires a Carotid U/S and TCD (Transcranial Doppler) use the facility list to find:

-US Carotid Ultrasound Bilateral CVL

-US Transcranial Doppler Comp CVL

Phase of	Name	Type	Dos	Route	Frequ	Pref List	Cor
	Angioplasty Carotid	Carr				IP RIH FA CAT	
	CT Angiogram Neck W WO IV Contrast (CAROTID STENOSIS)	Ima:				IP RIH FA IMG	
	Carotid Stent	Carr				IP RIH FA CAT	
	Consult Interventional Radiology (CAROTID ANGIOGRAM)	Ima:				IP RIH FA COI	
	Consult Interventional Radiology (CAROTID ANGIOGRAM)	Ima:				IP RIH FA COI	
	Elective carotid intervention	Corr				IP RIH CK COI	
	MRI Angiogram Neck W WO IV Contrast (CAROTID)	Ima:				IP RIH FA IMG	
	MRI Angiogram Neck WO IV Contrast (CAROTID)	Ima:				IP RIH FA IMG	
	US Carotid Bilateral	Ima:				IP RIH FA IMG	
	<b>US Carotid Bilateral CVL</b>	Neu				IP RIH FA NEI	
	US Carotid Left	Ima:				IP RIH FA IMG	
	US Carotid Right	Ima:				IP RIH FA IMG	
	US Carotid Unilateral Left CVL	Neu				IP RIH FA NEI	
	US Carotid Unilateral Right CVL	Neu				IP RIH FA NEI	



Remember to order Patient's Home Meds!